

L Number	Hits	Search Text	DB	Time stamp
1	2	"6387382"	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:35
2	0	"6387382" and hyaluronate	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:14
3	14625	hyaluron\$	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:35
4	943	hyaluron\$ and polytetrafluoroethylene	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:35
5	36	(hyaluron\$ and polytetrafluoroethylene) and dimethicone	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:49
6	2670	hyaluronate	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:49
7	2	"6387382" and water	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:49
8	2187	hyaluronate and water	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:49
9	1	("6387382" and water) and (glycol or butylene ADJ glycol)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:50
10	1312	(hyaluronate and water) and (glycol or butylene ADJ glycol)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:50
11	218	((hyaluronate and water) and (glycol or butylene ADJ glycol)) and dimethicone	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:51
13	6	((((hyaluronate and water) and (glycol or butylene ADJ glycol)) and dimethicone) and panthenol) and phenonip	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 11:51
12	122	((((hyaluronate and water) and (glycol or butylene ADJ glycol)) and dimethicone) and panthenol	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:26
14	16	"5788954"	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 12:18
15	1	"5788954" and hyaluronate	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 12:18
16	228365	("5788954" and hyaluronate) and silicone or lubricant	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 12:19

17	1	("5788954" and hyaluronate) and (silicone or lubricant)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 12:36
18	128	hyaluronate and polytetrafluoroethylene	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 12:36
19	24	(hyaluronate and polytetrafluoroethylene) and humectant	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 12:37
20	24	((hyaluronate and polytetrafluoroethylene) and humectant) and water	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 12:53
21	7	"5811111"	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 12:54
22	0	"5811111" and hylauronate	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 12:54
23	1	"5811111" and teflon	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:06
24	2670	hyaluronate	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:06
25	134	hyaluronate and (polytetrafluorethylene or teflon)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:06
26	127	(hyaluronate and (polytetrafluorethylene or teflon)) and water	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:07
27	16	((hyaluronate and (polytetrafluorethylene or teflon)) and water) and humectant	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:07
28	380	hyaluronate and humectant	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:26
29	236	(hyaluronate and humectant) and (butylene ADJ glycol)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:26
30	106	((hyaluronate and humectant) and (butylene ADJ glycol)) and panthenol	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:29
31	0	((((hyaluronate and humectant) and (butylene ADJ glycol)) and panthenol) and chlorphensin	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:32
32	1	((((hyaluronate and humectant) and (butylene ADJ glycol)) and panthenol) and chlorphensin	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:36
33	5	chlorphensin	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:38

34	331	chlorphenesin	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:39
35	299	chlorphenesin and water	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:39
38	40	((chlorphenesin and water) and hyaluronate) and (butylene ADJ glycol)	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:41
39	33	((((chlorphenesin and water) and hyaluronate) and (butylene ADJ glycol)) and silicone	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:41
36	57	(chlorphenesin and water) and hyaluronate	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:45
40	4	((((chlorphenesin and water) and hyaluronate) and (butylene ADJ glycol)) and silicone) and panthenol	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:45
37	6	((chlorphenesin and water) and hyaluronate) and humectant	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 13:46

L Number	Hits	Search Text	DB	Time stamp
1	3637	514/54	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 09:49
2	14625	hyaluron\$	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:24
3	11243	hyaluron\$ and water	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 09:49
4	1350	(hyaluron\$ and water) and humectant	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:25
5	951	((hyaluron\$ and water) and humectant) and silicone	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:25
6	305	((((hyaluron\$ and water) and humectant) and silicone) and allantoin	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:26
9	5	(((((hyaluron\$ and water) and humectant) and silicone) and allantoin) and glycol) and panthenol) and chlorphenesin	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 09:51
8	197	(((((hyaluron\$ and water) and humectant) and silicone) and allantoin) and glycol) and panthenol	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:24
7	298	(((((hyaluron\$ and water) and humectant) and silicone) and allantoin) and glycol	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:16
10	794	424/73	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:24
11	42	424/73 and hyaluron\$	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:25
12	42	(424/73 and hyaluron\$) and water	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:25
13	27	((424/73 and hyaluron\$) and water) and humectant	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:25
14	951	((((hyaluron\$ and water) and humectant) and silicone) and silicone	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:25
15	22	((((424/73 and hyaluron\$) and water) and humectant) and silicone	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:25
16	11	(((((424/73 and hyaluron\$) and water) and humectant) and silicone) and allantoin	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:34

17	15	"5665368"	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:39
18	12	"5665368" and silicone	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:59
19	16	"5997887"	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:45
20	12	"5997887" and hyaluron\$	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:45
21	5	("5665368" and silicone) and humectant	USPAT; US-PGPUB; EPO; DERWENT	2004/04/13 10:59

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1623kxg

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JAN 27 Source of Registration (SR) information in REGISTRY updated
and searchable
NEWS 4 JAN 27 A new search aid, the Company Name Thesaurus, available in
CA/CaPlus
NEWS 5 FEB 05 German (DE) application and patent publication number format
changes
NEWS 6 MAR 03 MEDLINE and LMEDLINE reloaded
NEWS 7 MAR 03 MEDLINE file segment of TOXCENTER reloaded
NEWS 8 MAR 03 FRANCEPAT now available on STN
NEWS 9 MAR 29 Pharmaceutical Substances (PS) now available on STN
NEWS 10 MAR 29 WPIFV now available on STN
NEWS 11 MAR 29 No connect hour charges in WPIFV until May 1, 2004
NEWS 12 MAR 29 New monthly current-awareness alert (SDI) frequency in RAPRA

NEWS EXPRESS MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 3 MARCH 2004
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:06:15 ON 13 APR 2004

=> file polymers

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'APOLLIT' ENTERED AT 11:06:26 ON 13 APR 2004

COPYRIGHT (c) 2004 FIZ Karlsruhe

FILE 'BABS' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (c) 2004 Beilstein-Institut zur Foerderung der Chemischen Wissenschaften
licensed to Beilstein GmbH and MDL Information Systems GmbH

FILE 'CAPLUS' ENTERED AT 11:06:26 ON 13 APR 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CBNB' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (c) 2004 ELSEVIER ENGINEERING INFORMATION, INC.

FILE 'CEN' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (C) 2004 American Chemical Society (ACS)

FILE 'CIN' ENTERED AT 11:06:26 ON 13 APR 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

FILE 'DISSABS' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (C) 2004 ProQuest Information and Learning Company; All Rights Reserved.

FILE 'EMA' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (C) 2004 Cambridge Scientific Abstracts (CSA)

FILE 'IFIPAT' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (C) 2004 IFI CLAIMS(R) Patent Services (IFI)

FILE 'JICST-EPLUS' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (C) 2004 Japan Science and Technology Agency (JST)

FILE 'PASCAL' ENTERED AT 11:06:26 ON 13 APR 2004
Any reproduction or dissemination in part or in full,
by means of any process and on any support whatsoever
is prohibited without the prior written agreement of INIST-CNRS.
COPYRIGHT (C) 2004 INIST-CNRS. All rights reserved.

FILE 'PLASNEWS' ENTERED AT 11:06:26 ON 13 APR 2004
Copyright (C) 2004 Bill Communications, Inc. (BCI)

FILE 'PROMT' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (C) 2004 Gale Group. All rights reserved.

FILE 'RAPRA' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (C) 2004 RAPRA Technology Ltd.

FILE 'SCISEARCH' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT 2004 THOMSON ISI

FILE 'TEXTILETECH' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (C) 2004 Inst. of Textile Technology

FILE 'USPATFULL' ENTERED AT 11:06:26 ON 13 APR 2004
CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 11:06:26 ON 13 APR 2004
CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'WPIDS' ACCESS NOT AUTHORIZED

FILE 'WPINDEX' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (C) 2004 THOMSON DERWENT

FILE 'WTEXTILES' ENTERED AT 11:06:26 ON 13 APR 2004
COPYRIGHT (C) 2004 Elsevier Science B.V., Amsterdam. All rights reserved.

=> s hyaluro?

L1 64105 HYALURO?

=> s l1 and water

19 FILES SEARCHED...

L2 16071 L1 AND WATER

=> s l2 and silicone

L3 3810 L2 AND SILICONE

=> s l3 and glycol

L4 2963 L3 AND GLYCOL

=> s l4 and panthenol

L5 653 L4 AND PANTHENOL

=> s l5 and chlorphenesin

L6 16 L5 AND CHLORPHENESIN

=> s l6 and phenonip

L7 1 L6 AND PHENONIP

=> dis l7 bib abs

L7 ANSWER 1 OF 1 USPATFULL on STN

AN 2003:180256 USPATFULL

TI Non-soap based shaving and moisturizing composition

IN Filipski, Steve, Addison, TX, UNITED STATES

Basinski, William, Plano, TX, UNITED STATES

PA Woodridge Labs, Inc. (U.S. corporation)

PI US 2003124083 A1 20030703

AI US 2001-38830 A1 20011228 (10)

DT Utility

FS APPLICATION

LREP JEFFER, MANGELS, BUTLER & MARMARO, LLP, 1900 AVENUE OF THE STARS, 7TH
FLOOR, LOS ANGELES, CA, 90067

CLMN Number of Claims: 28

ECL Exemplary Claim: 1

DRWN No Drawings

LN.CNT 380

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A soap-free shaving and moisturizing composition which maintains superior performance attributes while avoiding the harshness and drying associated with soap-based shave preparations is described. The shaving and moisturizing composition preferably comprises deionized **water**, a humectant, a **water-based silicone** lubricant, and sodium **hyaluronate**. The composition can also contain a conditioner, preservatives, allantoin, and various heavy alkaloid extracts. The present invention is a single shaving composition that performs as a shave cream, an after shave, and a moisturizer. Applying the composition does not require the application of **water** on the shave area or that **water** be added to the shaving composition, however **water** can be applied if desired. In addition, use of the shaving composition does not require a hydration wait time between applying the composition and shaving. Once shaving is complete, any residual shaving composition on the shaved area is rubbed into the skin and acts as an after shave and a long-term moisturizer. Shaving can be performed by using a multiple blade razor having an open flow design, thereby reducing resistance while shaving and decreasing dryness and irritation of the skin.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=> dis 15 1-16 bib abs

L5 ANSWER 1 OF 653 CAPLUS COPYRIGHT 2004 ACS on STN
AN 2003:511832 CAPLUS
DN 139:90070
TI Non-soap based shaving and moisturizing composition
IN Filipski, Steve; Basinski, William
PA Woodridge Labs, Inc., USA
SO U.S. Pat. Appl. Publ., 5 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2003124083	A1	20030703	US 2001-38830	20011228
PRAI	US 2001-38830		20011228		

AB A soap-free shaving and moisturizing composition which maintains superior performance attributes while avoiding the harshness and drying associated with soap-based shave preps. is described. The shaving and moisturizing composition preferably comprises deionized **water**, a humectant, a **water-based silicone** lubricant, and sodium **hyaluronate**. The composition can also contain a conditioner, preservatives, allantoin, and various heavy alkaloid exts. The present invention is a single shaving composition that performs as a shave cream, an after shave, and a moisturizer. Applying the composition does not require the application of **water** on the shave area or that **water** be added to the shaving composition, however **water** can be applied if desired. In addition, use of the shaving composition does not require a hydration

wait time between applying the composition and shaving. Once shaving is complete, any residual shaving composition on the shaved area is rubbed into the skin and acts as an after shave and a long-term moisturizer. Shaving can be performed by using a multiple blade razor having an open flow design, thereby reducing resistance while shaving and decreasing dryness and irritation of the skin.

L5 ANSWER 2 OF 653 CAPLUS COPYRIGHT 2004 ACS on STN
AN 2002:888521 CAPLUS
DN 137:375036
TI Skin care cosmetic compositions containing a carboxylate polymer and surfactants
IN Mori, Kiyoaki; Tanaka, Hidekazu
PA The Procter & Gamble Company, USA
SO PCT Int. Appl., 39 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2002092046	A1	20021121	WO 2001-US15045	20010510
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,				

DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
EP 1385471 A1 20040204 EP 2001-939010 20010510
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR

PRAI WO 2001-US15045 W 20010510

AB A skin care composition comprises by weight: 0.01-5% a carboxylic acid/carboxylate

copolymer, 0.1-2% a surfactant system comprising 2 or more nonionic surfactants selected from the group consisting of polyoxyalkylene alkyl ethers having a c12-18 alkyl, polyoxyalkylene hydrogenated castor oils, and linear or branched, mono- or triglycerides, 0.05-5% a **silicone** component, 0.01-5% an emollient oil, 0.1-10% a sebum absorbing agent, 1-20% a **water**-soluble humectant, and an aqueous carrier, wherein the weight ratio of the surfactant system to the emollient oil is 2:1-1:1. In addition, a base composition consists essentially of many of the above

components

has an absorbance of no more than about 2 at 340 nm. Thus, a composition contained Eumulgin-B1 0.015, Eumulgin-B2 0.05, Eumulgin-B3 0.09, polyglyceryl diisostearate 0.1, PEG hydrogenated castor oil. 0.04, cetyl octanoate 0.1, meadow-foam seed oil 0.1, **water** 32.0, 13-butylene **glycol** 7.5, methylparaben 0.07, sodium benzoate 0.07, Pemulen TR-2 0.25, xanthan gum 0.04, sodium **hyaluronate** 0.05, NaOH 0.07, **panthenol** 1.0, niacinamide 2.0, glycerin 2.5, glycerin polymethacrylate and propylene **glycol** and PVM/MA copolymer 1.5, Witch hazel extract 0.1, DC Q2-1403 1.5, cellulose powder 1.0, methylparaben 0.2, benzyl alc. 0.3, sodium benzoate 0.05, disodium EDTA 0.1, and **water** to 100%.

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 3 OF 653 CAPLUS COPYRIGHT 2004 ACS on STN
AN 2002:551533 CAPLUS
DN 137:114518
TI Skin sanitizing compositions
IN Sine, Mark Richard; Wei, Karl Shiqing; Jakubovic, David Andrew; Thomas, Cheyne P.; Dodd, Michael Thomas; Putman, Christopher Dean
PA The Procter & Gamble Company, USA
SO U.S., 14 pp., Cont. of U.S. Ser. No. 321,291.
CODEN: USXXAM
DT Patent
LA English
FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 6423329	B1	20020723	US 2000-504286	20000215
PRAI	US 1999-249717	A2	19990212		
	US 1999-120098P	P	19990216		
	US 1999-321291	A2	19990527		

AB The present invention relates to compns. and methods of sanitizing and moisturizing skin surfaces. A sanitizing and moisturizing gel contained EtOH 55, isopropanol 3, Biowax-754 0.4, Carbopol Ultrez-10 0.3, Carbowax PEG-200 0.26, propylene **glycol** 0.02, aminomethylpropanol 0.15, and perfume 0.1%, and **water** qs.

RE.CNT 56 THERE ARE 56 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 4 OF 653 CAPLUS COPYRIGHT 2004 ACS on STN
AN 2002:367169 CAPLUS
DN 136:374540
TI **Water**-proof, respirable, skin barrier composition containing a combination of **silicones**
IN Saleh, Michael; Leahy, Kimberly A.
PA Axiom Laboratories, Inc., USA

SO U.S., 9 pp.
CODEN: USXXAM
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 6387382	B1	20020514	US 1998-197999	19981123
PRAI	US 1998-197999		19981123		

AB Multipurpose skin preps. in the form of oil-in-water emulsions are disclosed. The skin preps. are prepared by combining an oil phase and an aqueous phase. The oil phase comprises a siloxane polymer, a cyclic **silicone**, an antioxidant, and an emollient. In a second version of the present invention, the oil phase includes a copolymer comprising PPG-12/SMDI. The aqueous phase comprises at least a humectant, a rheol. modifier, a thickener, and **water**. The inventive preps. are useful in topical application to the skin, are highly **water** resistant, remain on the skin after multiple washings, form a protective barrier on the skin, and effectively deliver and maintain moisturizing and therapeutic agents on the skin. It is believed that the skin preps. of the present invention also effectively deliver and maintain moisturizing and select therapeutic agents, biol. agents, pharmaceutical agents, and the like, which are useful for the treatment of pathologies of the skin. For example, a skin preparation was prepared containing (by weight) (i) an oil phase

made of dimethicone (350 cst) 1.50%, cyclomethicone 1.60%, Dow Corning 593 0.95%, cetearyl alc. 1.00%, Cetareth-20 (Eumulgin B-2) 0.60%, glyceryl stearate (Lipo GMS 470) 2.65%, DEA cetyl phosphate (Amphisol) 0.50%, iso-Pr palmitate 4.00%, iso-Pr myristate 2.50%, tea tree oil 0.02%, and oat flour (Tech-0-11070) 0.35%, (ii) an aqueous phase made of **water** 72.29%, magnesium aluminum silicate (Veegum ultra) 0.40%, hydroxyethyl cellulose (Natrosol 250 hhr) 0.45%, xanthan gum 0.25%, glycerin 3.00%, propylene **glycol** 2.00%, 50% liquid **panthenol** 1.00%, **hyaluronic** acid 0.10%, sorbitol (70%) 0.50%, allantoin 0.10%, methylparaben 0.25%, potassium sorbate 0.25%, and phenoxyethanol 0.80%, and (iii) post combination components, i.e., chamomile extract 1.00%, balm mint extract 0.50%, Japanese green tea concentrate 1.00%, lavender oil 0.04%, witch

hazel extract 0.20%, and diazolidinyl urea 0.20%.

RE.CNT 68 THERE ARE 68 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 5 OF 653 CAPLUS COPYRIGHT 2004 ACS on STN
AN 2002:87131 CAPLUS
DN 136:139629
TI Cosmetic powder formulations
IN Lanzendoerfer, Ghita; Bormann, Angelika
PA Beiersdorf Aktiengesellschaft, Germany
SO Eur. Pat. Appl., 21 pp.
CODEN: EPXXDW

DT Patent
LA German

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	EP 1175885	A2	20020130	EP 2001-116614	20010712
	EP 1175885	A3	20040102		

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO

	DE 10036316	A1	20020207	DE 2000-10036316	20000726
PRAI	DE 2000-10036316	A	20000726		

AB The invention concerns cosmetic powder compns. that contain **water**, hydrocolloids, and hydrophobic or hydrophobic-modified particles. The formulations further contain active substances to treat wrinkles, and

pigments, sunscreens etc. Thus a moisturizing powder contained (weight/weight%):
PEG-8 5.00; Ethanol 10.00; carbomer 0.70; triglyceride, liquid 1.50;
glycerin 5.00; **panthenol** 0.50; tocopherol acetate 0.50;
desferrioxamine E 0.10; silica 15.00; polymethylsilsequioxane 10.00;
HDI/trimethylol hexyl lactone cross polymer 5.00; iron oxides 2.00;
titanium dioxide 1.00; pearly pigments, perfume, preservatives, sodium
hydroxide 1.00; dyes, antioxidants q.s.; **water** to 100.

L5 ANSWER 6 OF 653 CAPLUS COPYRIGHT 2004 ACS on STN

AN 1996:649591 CAPLUS

DN 125:284341

TI Crystalline hydroxy waxes as oil in **water** stabilizers for skin
cleansing liquid composition

IN Glenn, Robert Wayne, Jr.; Dunbar, James Charles; Kacher, Mark Leslie;
Tollens, Fernando Ray; Bolich, Raymond Edward, Jr.; Schmidt, Robert
Raymond; Weisgerber, David John; Eccard, Wayne Ellis

PA Procter and Gamble Company, USA

SO PCT Int. Appl., 32 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9625144	A1	19960822	WO 1996-US1081	19960124
	W: BR, CA, CN, JP, MX				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	CA 2213235	AA	19960822	CA 1996-2213235	19960124
	EP 813406	A1	19971229	EP 1996-905236	19960124
	EP 813406	B1	20010919		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE				
	CN 1181006	A	19980506	CN 1996-193151	19960124
	CN 1097453	B	20030101		
	BR 9607609	A	19980609	BR 1996-7609	19960124
	JP 10510543	T2	19981013	JP 1996-524962	19960124
	JP 3269824	B2	20020402		
	AT 205702	E	20011015	AT 1996-905236	19960124
	GR 3036672	T3	20011231	GR 2001-401397	20010920
PRAI	US 1995-388961	A	19950215		
	US 1995-529258	A	19950915		
	WO 1996-US1081	W	19960124		

OS MARPAT 125:284341

AB A stress stable lathering skin cleansing liquid composition comprising by
weight

parts of the liquid composition: (a) from about 0.5 part to 10 parts of a
crystalline,
hydroxy-containing stabilizer; e.g. trihydroxystearin; (b) from about 1 part
to about 30 parts of lipid skin moisturizing agent; (c) from about 5 parts
to about 30 parts of surfactant having a combined CMC equilibrium surface
tension value of from 15 to 50; (d) **water**; wherein said stress
stable lathering skin cleansing liquid composition has a Lipid Deposition Value
(LDV) of from about 5 to about 100 and wherein said composition is stable for
at least two wk at 100°F. A cleansing liquid composition contained sodium
C12-14 alkyl ether glycerol sulfonate 11.57, ammonium laureth-3 sulfate
3.86, cocoamidopropyl betaine 2.57, trihydroxystearin 1.75, petrolatum
11.60, hydrogenated polyisobutene 2.90, glycerin 6.24, tetrasodium EDTA
0.13, DMDM hydantoin 0.14, perfume 0.80, and **water** 59.04%. The
volume lather it produced was 90 mL.

L5 ANSWER 7 OF 653 CAPLUS COPYRIGHT 2004 ACS on STN

AN 1995:990836 CAPLUS

DN 124:15280

TI Combined skin moisturizing and cleansing bar composition

IN Kacher, Mark Leslie; Geary, Nicholas William; Evans, Marcus Wayne; Hedges,

Steven Kirk; Ehrhard, Joseph Albert, Jr.; Schwartz, James Robert;
Weisgerber, David John

PA Procter and Gamble Co., USA

SO PCT Int. Appl., 58 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9526710	A1	19951012	WO 1995-US2588	19950301
	W: AM, AU, BB, BG, BR, BY, CA, CN, CZ, FI, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LV, MD, MG, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TJ, TT, UA, UZ, VN				
	RW: KE, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	CA 2185667	AA	19951012	CA 1995-2185667	19950301
	CA 2185667	C	20010821		
	AU 9519758	A1	19951023	AU 1995-19758	19950301
	EP 752846	A1	19970115	EP 1995-912678	19950301
	EP 752846	B1	20010801		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
	CN 1145026	A	19970312	CN 1995-192394	19950301
	CN 1082365	B	20020410		
	HU 75203	A2	19970428	HU 1996-2660	19950301
	HU 219188	B	20010228		
	BR 9507236	A	19970916	BR 1995-7236	19950301
	JP 09511248	T2	19971111	JP 1995-525688	19950301
	AT 203663	E	20010815	AT 1995-912678	19950301
	ES 2158939	T3	20010916	ES 1995-912678	19950301
	EG 21074	A	20001031	EG 1995-256	19950329
	FI 9603876	A	19960927	FI 1996-3876	19960927
	NO 9604077	A	19961202	NO 1996-4077	19960927
PRAI	US 1994-220354	A	19940330		
	WO 1995-US2588	W	19950301		

OS MARPAT 124:15280

AB The present invention relates to a personal skin moisturizing and cleansing bar composition which comprises both a skin cleansing agent and a lipid moisturizing agent in the same bar which actually deposits an effective amount of the lipid on the skin of the user in the bath or shower. The bar composition of this invention comprises: (1) 5-40 parts of a lipid skin moisturizing agent, (2) 10-50 parts of a rigid crystalline skeleton network structure consisting essentially of selected fatty acid soaps and selected fatty acids, (3) 1-50 parts of a lathering synthetic surfactant, and (4) 10-50 parts **water**. The bar provides good cleansing, lather and good sensory feel and yet surprisingly provides a lipid moisturizing benefit via deposition of the lipid on the skin of the user. The bar composition is solid and on a macro scale is homogeneous. A soap bar contained Na myristic soap 14.88, myristic acid 0.09, Na lauric soap 1.74, lauric acid 0.01, coconut soap 0.78, perfume 0.5, NaCl 2.5, petrolatum 12.8, glycerol 5.00, dimethicone 1.5, Na cocoyl isethionate 24.44, cocoamidopropyl hydroxysultaine 2.0, mineral oils 3.2, **water** 27.61, and miscellaneous 1.21%.

L5 ANSWER 8 OF 653 CAPLUS COPYRIGHT 2004 ACS on STN

AN 1993:434327 CAPLUS

DN 119:34327

TI Low-pH aqueous gels containing nonionic polyacrylamide derivatives

IN Deckner, George Endel; Lombardo, Brian Scott

PA Richardson-Vicks, Inc., USA

SO PCT Int. Appl., 20 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9307856	A1	19930429	WO 1992-US8743	19921013
	W: AU, BB, BG, BR, CA, CS, FI, HU, JP, KP, KR, LK, MG, MN, MW, NO, PL, RO, RU, SD				
	RW: AT, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG				
	AU 9228000	A1	19930521	AU 1992-28000	19921013
	AU 675210	B2	19970130		
	EP 608353	A1	19940803	EP 1992-922437	19921013
	EP 608353	B1	19960131		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, SE				
	JP 07500593	T2	19950119	JP 1992-507770	19921013
	HU 66957	A2	19950130	HU 1994-1105	19921013
	BR 9206630	A	19950425	BR 1992-6630	19921013
	AT 133560	E	19960215	AT 1992-922437	19921013
	ES 2083197	T3	19960401	ES 1992-922437	19921013
	CA 2119636	C	19980623	CA 1992-2119636	19921013
	CN 1072843	A	19930609	CN 1992-113394	19921016
	CN 1050283	B	20000315		
	NO 9401318	A	19940615	NO 1994-1318	19940413
	FI 9401769	A	19940415	FI 1994-1769	19940415
	US 5707635	A	19980113	US 1994-249093	19940525
PRAI	US 1991-778423	A	19911016		
	US 1992-931553	B1	19920818		
	WO 1992-US8743	A	19921013		
	US 1993-121661	B1	19930915		

AB An aqueous gel comprising 0.05-20% of acrylamide derivative polymers (mol. weight

1+106 - 3+107) provides an improved skin-feel, excellent moisturizing, and absorption characteristics. An anti-acne composition contained Alc. SD-40 40.0, Sepigel (made of polyacrylamide, C13-14-isoparaffin, and laureth-7) 4.0, salicylic acid 2.0, and purified water 54%.

L5 ANSWER 9 OF 653 IFIPAT COPYRIGHT 2004 IFI on STN

AN 10379664 IFIPAT;IFIUDB;IFICDB

TI NON-SOAP BASED SHAVING AND MOISTURIZING COMPOSITION

INF Basinski; William, Plano, TX, US

Filipski; Steve, Addison, TX, US

IN Basinski William; Filipski Steve

PAF Woodridge Labs, Inc., US

AG JEFFER, MANGELS, BUTLER & MARMARO, LLP, 1900 AVENUE OF THE STARS, 7TH FLOOR, LOS ANGELES, CA, 90067, US

PI US 2003124083 A1 20030703

AI US 2001-38830 20011228

FI US 2003124083 20030703

DT Utility; Patent Application - First Publication

FS CHEMICAL APPLICATION

CLMN 28

AB A soap-free shaving and moisturizing composition which maintains superior performance attributes while avoiding the harshness and drying associated with soap-based shave preparations is described. The shaving and moisturizing composition preferably comprises deionized water, a humectant, a water-based silicone lubricant, and sodium hyaluronate. The composition can also contain a conditioner, preservatives, allantoin, and various heavy alkaloid extracts. The present invention is a single shaving composition that performs as a shave cream, an after shave, and a moisturizer. Applying the composition does not require the application of water on the shave area or that water be added to the shaving

composition, however water can be applied if desired. In addition, use of the shaving composition does not require a hydration wait time between applying the composition and shaving. Once shaving is complete, any residual shaving composition on the shaved area is rubbed into the skin and acts as an after shave and a long-term moisturizer. Shaving can be performed by using a multiple blade razor having an open flow design, thereby reducing resistance while shaving and decreasing dryness and irritation of the skin.

CLMN 28

L5 ANSWER 10 OF 653 IFIPAT COPYRIGHT 2004 IFI on STN
AN 10098288 IFIPAT;IFIUDB;IFICDB
TI COSMETIC COMPOSITIONS IN POWDER FORM COMPRISING A BINDER, AND MAKE-UP AND COSMETIC CARE METHODS
INF Hadasch; Anke, Paris, FR
Lemann; Patricia, Creteil, FR
Simonnet; Jean-Thierry, Paris, FR
IN Hadasch Anke (FR); Lemann Patricia (FR); Simonnet Jean-Thierry (FR)
PAF Unassigned
PA Unassigned Or Assigned To Individual (68000)
AG Thomas L. Irving FINNEGAN, HENDERSON, FARABOW,, GARRETT & DUNNER, L.L.P.,
1300 I Street, N.W., Washington, DC, 20005-3315, US
PI US 2002041854 A1 20020411
AI US 2001-860567 20010521
PRAI FR 2000-6448 20000519
FI US 2002041854 20020411
DT Utility; Patent Application - First Publication
FS CHEMICAL
APPLICATION

CLMN 103

AB A cosmetic composition, such as a make-up and/or cosmetic care composition, in powder form comprising a pulverulent phase and a binder in said powder composition, wherein the binder is chosen from compositions comprising an aqueous continuous phase, and the cosmetic applications, in make-up and/or in cosmetic care, of such a composition.

CLMN 103

L5 ANSWER 11 OF 653 IFIPAT COPYRIGHT 2004 IFI on STN
AN 10007668 IFIPAT;IFIUDB;IFICDB
TI COSMETIC, PHARMACEUTICAL, OR DERMATOLOGICAL PATCH; MIXTURE OF GELLAN GUM AND OTHER HYDROCOLLOID
INF GUERET; JEAN-LOUIS H., PARIS, FR
IN GUERET JEAN-LOUIS H (FR)
PAF L'OREAL, 14 Rue Royale, Paris, FR
PA L'Oreal S A FR (47368)
AG ANTHONY M GUTOWSKI FINNEGAN HENDERSON FARABOW, GARRETT & DUNNER LLP, 1300
I STREET N W, WASHINGTON, DC, 200053315
PI US 2001007671 A1 20010712
AI US 1999-362680 19990729
PRAI FR 1998-9794 19980730
FR 1998-9795 19980730
FR 1998-9880 19980731
FI US 2001007671 20010712
DT Utility; Patent Application - First Publication
FS CHEMICAL
APPLICATION

CLMN 90

GI 8 Figure(s).

FIG. 1 shows a first embodiment of a packaged patch system;
FIGS. 2A, 2B, and 2C show an embodiment of a method for manufacturing the packaged patch system of FIG. 1;
FIGS. 3A, 3B, and 3C show variations of the method shown in FIGS. 2A-2C for manufacturing a packaged patch system;
FIGS. 4A, 4B, and 4C show an alternate method for manufacturing a packaged

patch system;

FIG. 5 shows a schematic view of a patch having a portion of a reinforcing member extending from the patch;

FIG. 6 shows a schematic cross-sectional view of a second embodiment of a packaged patch system including a container having a non-uniform depth;

FIG. 7 shows a schematic cross-sectional view of a third embodiment including a stacked arrangement of packaged patch systems; and

FIG. 8 shows a schematic cross-sectional view of a fourth embodiment of a packaged patch system including a package sealably containing the system.

AB A cosmetic, pharmaceutical, or dermatological patch includes a composition including a hydrophilic gelling system in an aqueous phase. The hydrophilic gelling system includes at least one gellan gum and at least one other hydrocolloid.

CLMN 90 8 Figure(s).

FIG. 1 shows a first embodiment of a packaged patch system;

FIGS. 2A, 2B, and 2C show an embodiment of a method for manufacturing the packaged patch system of FIG. 1;

FIGS. 3A, 3B, and 3C show variations of the method shown in FIGS. 2A-2C for manufacturing a packaged patch system;

FIGS. 4A, 4B, and 4C show an alternate method for manufacturing a packaged patch system;

FIG. 5 shows a schematic view of a patch having a portion of a reinforcing member extending from the patch;

FIG. 6 shows a schematic cross-sectional view of a second embodiment of a packaged patch system including a container having a non-uniform depth;

FIG. 7 shows a schematic cross-sectional view of a third embodiment including a stacked arrangement of packaged patch systems; and

FIG. 8 shows a schematic cross-sectional view of a fourth embodiment of a packaged patch system including a package sealably containing the system.

L5 ANSWER 12 OF 653 IFIPAT COPYRIGHT 2004 IFI on STN

AN 03943343 IFIPAT;IFIUDB;IFICDB

TI COSMETIC, PHARMACEUTICAL, OR DERMATOLOGICAL PATCH

INF Gueret; Jean-Louis H., Paris, FR

IN Gueret Jean-Louis H (FR)

PAF L'Oreal S.A., Paris, FR

PA L'Oreal S A FR (47368)

EXNAM Page, Thurman K

EXNAM Ghali, Isis

AG Finnegan, Henderson, Farabow, Garrett & Dunner, LLP

PI US 6623751 B2 20030923

US 2001007671 A1 20010712

AI US 1999-362680 19990729

PRAI FR 1998-9794 19980730

FR 1998-9795 19980730

FR 1998-9880 19980731

FI US 6623751 20030923

DT Utility; Granted Patent - Utility, with Pre-Grant Publication

FS CHEMICAL

GRANTED

CLMN 71

GI 4 Drawing Sheet(s), 8 Figure(s).

FIG. 1 shows a first embodiment of a packaged patch system;

FIGS. 2A, 2B, and 2C show an embodiment of a method for manufacturing the packaged patch system of FIG. 1;

FIGS. 3A, 3B, and 3C show variations of the method shown in FIGS. 2A-2C for manufacturing a packaged patch system;

FIGS. 4A, 4B, and 4C show an alternate method for manufacturing a packaged patch system;

FIG. 5 shows a schematic view of a patch having a portion of a reinforcing member extending from the patch;

FIG. 6 shows a schematic cross-sectional view of a second embodiment of a packaged patch system including a container having a non-uniform depth;

FIG. 7 shows a schematic cross-sectional view of a third embodiment

including a stacked arrangement of packaged patch systems; and
FIG. 8 shows a schematic cross-sectional view of a fourth embodiment of a
packaged patch system including a package sealably containing the system.
AB A cosmetic, pharmaceutical, or dermatological patch includes a
composition including a hydrophilic gelling system in an aqueous phase.
The hydrophilic gelling system includes at least one gellan gum and at
least one other hydrocolloid.

CLMN 71

GI 4 Drawing Sheet(s), 8 Figure(s).

FIG. 1 shows a first embodiment of a packaged patch system;
FIGS. 2A, 2B, and 2C show an embodiment of a method for manufacturing the
packaged patch system of FIG. 1;
FIGS. 3A, 3B, and 3C show variations of the method shown in FIGS. 2A-2C
for manufacturing a packaged patch system;
FIGS. 4A, 4B, and 4C show an alternate method for manufacturing a packaged
patch system;
FIG. 5 shows a schematic view of a patch having a portion of a reinforcing
member extending from the patch;
FIG. 6 shows a schematic cross-sectional view of a second embodiment of a
packaged patch system including a container having a non-uniform depth;
FIG. 7 shows a schematic cross-sectional view of a third embodiment
including a stacked arrangement of packaged patch systems; and
FIG. 8 shows a schematic cross-sectional view of a fourth embodiment of a
packaged patch system including a package sealably containing the system.

L5 ANSWER 13 OF 653 IFIPAT COPYRIGHT 2004 IFI on STN

AN 03905970 IFIPAT;IFIUDB;IFICDB

TI COSMETIC INTENSIVE REPAIR SERUM WITH MORINDA CITRIFOLIA; PLANT EXTRACT;
SKIN REPAIR

INF Jensen; Claude Jarkae, Cedar Hills, UT
Robinson; Heidi, Orem, UT

IN Jensen Claude Jarkae; Robinson Heidi

PAF Morinda, Inc., Provo, UT, US

PA Morinda Inc (56791)

EXNAM Dees, Jose' G

EXNAM Lamm, Marina

AG Kirton & McConkie
Krieger Michael F.

PI US 6589514 B2 20030708

US 2002192246 A1 20021219

AI US 2001-836869 20010417

FI US 6589514 20030708

US 2002192246 20021219

DT Utility; Granted Patent - Utility, with Pre-Grant Publication

FS CHEMICAL

GRANTED

NTE INDEXED FROM APPLICATION

CLMN 59

AB The present invention advances prior art intensive repair serums by
providing an intensive repair serum formulated with Morinda citrifolia
from the Indian Mulberry plant. The addition of Morinda citrifolia to the
serum of the present invention serves to provide significant skin care
advantages not found in prior art intensive repair serums.

NTE INDEXED FROM APPLICATION

CLMN 59

L5 ANSWER 14 OF 653 IFIPAT COPYRIGHT 2004 IFI on STN

AN 3872515 IFIPAT;IFIUDB;IFICDB

TI SYNDET BAR SOAP HAVING AN ACIDIFYING AGENT; SYNTHETIC DETERGENT (SYNDET)
BAR SOAP COMPOSITION USEFUL FOR WASHING AND CLEANING HANDS AND OTHER BODY
PARTS FOR PREVENTING THE RISK OF INFECTIONS CAUSED BY MICROORGANISMS

INF Lopes; John A., 2209 Niagara Dr., Troy, MI, 48083

IN Lopes John A

PAF Unassigned

PA Unassigned Or Assigned To Individual (68000)

EXNAM Ogden, Necholus

PI US 6559110 B1 20030506

AI US 2001-935930 20010823

PRAI US 2000-227358P 20000824 (Provisional)

FI US 6559110 20030506

DT Utility

FS CHEMICAL

GRANTED

CLMN 6

AB A bar soap preparation having enhanced antibacterial and microbial properties which contains between 0.1 weight % and 95 weight % of at least one anionic surfactant; and at least one acidifying agent present in an amount sufficient to impart a pH of below 5.0. The bar soap provides microbial protection resulting from its rapid microbicidal action.

CLMN 6

L5 ANSWER 15 OF 653 IFIPAT COPYRIGHT 2004 IFI on STN

AN 03722122 IFIPAT;IFIUDB;IFICDB

TI SKIN SANITIZING COMPOSITIONS; SANITIZING AGENT FOR SKIN, HUMECTANTS AND DETACKIFIERS

INF Dodd; Michael Thomas, Florence, KY
Jakubovic; David Andrew, Staines, GB
Putman; Christopher Dean, West Chester, OH
Sine; Mark Richard, Morrow, OH
Thomas; Cheyne P., Highland Heights, KY
Wei; Karl Shiqing, Mason, OH

IN Dodd Michael Thomas; Jakubovic David Andrew (GB); Putman Christopher Dean; Sine Mark Richard; Thomas Cheyne P; Wei Karl Shiqing

PAF The Procter & Gamble Company, Cincinnati, OH

PA Procter & Gamble Co The (68128)

EXNAM Page, Thurman K

EXNAM Howard, S

AG Dressman, Marianne

Little, Darryl C.

Rosnell, Tara M.

PI US 6423329 B1 20020723

AI US 2000-504286 20000215

XPD 12 Feb 2019

RLI US 1999-249717 19990212 CONTINUATION-IN-PART PENDING

US 1999-321291 19990527 CONTINUATION-IN-PART PENDING

PRAI US 1999-120098P 19990216 (Provisional)

FI US 6423329 20020723

DT Utility; CERTIFICATE OF CORRECTION

CDAT 3 Dec 2002

FS CHEMICAL

GRANTED

OS CA 137:99031

MRN 010902 MFN: 0951

NTE This Patent is subject to a Terminal Disclaimer.

CLMN 25

AB The present invention relates to compositions and methods of sanitizing and moisturizing skin surfaces.

NTE This Patent is subject to a Terminal Disclaimer.

CLMN 25

L5 ANSWER 16 OF 653 IFIPAT COPYRIGHT 2004 IFI on STN

AN 03718444 IFIPAT;IFIUDB;IFICDB

TI COSMETIC SKIN TREATMENT METHOD AND CLEANSING TREATMENT PATCH; REINFORCED POLYMER MATRIX EMBEDDED WITH ACTIVE MATERIALS

INF Gueret; Jean-Louis H., Paris, FR

IN Gueret Jean-Louis H (FR)

PAF L'Oreal S.A., Paris, FR

PA L'Oreal S A FR (47368)
 EXNAM Dees, Jose' G
 EXNAM Haghighatian, Mina
 AG Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P.
 PI US 6419935 B1 20020716
 AI US 1999-363171 19990729
 XPD 29 Jul 2019
 PRAI FR 1998-9794 19980730
 FR 1998-9795 19980730
 FR 1998-9880 19980731
 FI US 6419935 20020716
 DT Utility; CERTIFICATE OF CORRECTION
 CDAT 7 Jan 2003
 FS CHEMICAL
 GRANTED
 MRN 010338 MFN: 0796
 CLMN 81
 GI 1 Drawing Sheet(s), 2 Figure(s).
 AB A cosmetic skin treatment method includes providing a patch configured to be used in both a cleansing mode and a treatment mode. The patch includes a polymeric matrix and a reinforcing member. The polymeric matrix includes at least one cosmetically active compound and at least one **water**-absorbent compound. The patch is configured to adhere to dry skin and also to adhere to skin when at least one of the patch and skin are moistened. The method also includes selecting at least one of the cleansing mode and the treatment mode. When the cleansing mode is selected, the method further includes applying the patch to an areas of dry skin so that the polymeric matrix adheres to the skin for a time sufficient to allow at least one impurity in the area of skin to become attached to the polymeric matrix. Thereafter, the patch is removed from the area of the skin while said at least one impurity is attached to the polymeric matrix. When the treatment mode is selected, the method further includes moistening at least one of the patch and an area of the skin. Then, the patch is applied to the area of skin so that the patch adheres to the area of skin. After applying the patch, the cosmetically active compound is allowed to contact the area of skin. A cleansing and treatment patch is also disclosed.
 CLMN 81
 GI 1 Drawing Sheet(s), 2 Figure(s).

=> dis hist

(FILE 'HOME' ENTERED AT 11:06:15 ON 13 APR 2004)

FILE 'APOLLIT, BABS, CAPLUS, CBNB, CEN, CIN, DISSABS, EMA, IFIPAT,
 JICST-EPLUS, PASCAL, PLASNEWS, PROMT, RAPRA, SCISEARCH, TEXTILETECH,
 USPATFULL, USPAT2, WPINDEX, WTEXTILES' ENTERED AT 11:06:26 ON 13 APR 2004

L1 64105 S HYALURO?
 L2 16071 S L1 AND WATER
 L3 3810 S L2 AND SILICONE
 L4 2963 S L3 AND GLYCOL
 L5 653 S L4 AND PANTHENOL
 L6 16 S L5 AND CHLORPHENESIN
 L7 1 S L6 AND PHENONIP